ENDURA PRO LUMINAIRES



ENDURA PRO
FLOOD SENSOR
15 W



ENDURA PRO
FLOOD SENSOR
27 W



ENDURA PRO
SPOT SENSOR
8 W



ENDURA PRO
SPOT SENSOR
16 W

	EAN	l x w x h [mm]	W	lm	lm/W	K	IP	IK
E PRO FLOOD S 15W 840 IP55 WT	4058075228788	151 x 56 x 205	15	1500	100	4000	55	05
E PRO FLOOD S 15W 840 IP55 DG	4058075228801	151 x 56 x 205	15	1500	100	4000	55	05
E PRO FLOOD S 27W 840 IP55 WT	4058075228825	201 x 56 x 225	27	3000	107	4000	55	05
E PRO FLOOD S 27W 840 IP55 DG	4058075228849	201 x 56 x 225	27	3000	107	4000	55	05
E PRO SPOT S 8W 840 IP55 WT	4058075228863	87 x 58 x 187	8	750	88	4000	55	05
E PRO SPOT S 8W 840 IP55 DG	4058075228887	87 x 58 x 187	8	750	88	4000	55	05
E PRO SPOT S 16W 840 IP55 WT	4058075228900	177 x 58 x 187	16	1500	88	4000	55	05
E PRO SPOT S 16W 840 IP55 DG	4058075228924	177 x 58 x 187	16	1500	88	4000	55	05

	EAN	🌡 (°C)	V_{AC}	Hz	PF	R_a	🏋
E PRO FLOOD S 15W 840 IP55 WT	4058075228788	-20…+40	220-240 V	50/60 Hz	≥ 0.88	> 80	0.365 kg
E PRO FLOOD S 15W 840 IP55 DG	4058075228801	-20…+40	220-240 V	50/60 Hz	≥ 0.88	> 80	0.365 kg
E PRO FLOOD S 27W 840 IP55 WT	4058075228825	-20…+40	220-240 V	50/60 Hz	≥ 0.90	> 80	0.480 kg
E PRO FLOOD S 27W 840 IP55 DG	4058075228849	-20…+40	220-240 V	50/60 Hz	≥ 0.90	> 80	0.480 kg
E PRO SPOT S 8W 840 IP55 WT	4058075228863	-20…+40	220-240V	50/60 Hz	≥ 0.88	> 80	0.305 kg
E PRO SPOT S 8W 840 IP55 DG	4058075228887	-20…+40	220-240 V	50/60 Hz	≥ 0.88	> 80	0.305 kg
E PRO SPOT S 16W 840 IP55 WT	4058075228900	-20…+40	220-240 V	50/60 Hz	≥ 0.88	> 80	0.415 kg
E PRO SPOT S 16W 840 IP55 DG	4058075228924	-20…+40	220-240 V	50/60 Hz	≥ 0.88	> 80	0.415 kg

NOT FOR PRINT PRODUCTION!

WARNING:

This PDF file is for reference only and not to be used for the creation of production art.
Colour printouts and screen displays should not be used for colour approval as colours may vary from device to device. The colour values for this file are defined in either Pantone (PMS), HKS, or in process colours (CMYK).
For obtaining hard-copies in actual size (1:1) you need to enter the proper settings in your printer options.

本品不可印刷生产

警告:

本PDF文挡仅作为参照文件，不能将本文档用于印刷生产或者制作菲林。本文档的彩色打印版本或其在电脑屏幕中显示的色彩，不可用于最终的色彩参照。因为硬件设备的差异，可能造成色彩的偏差。最终正式的色彩请参照由色板卡片PMS，HKS或者CMYK(青红黄黑)所定义的色彩。若本文挡的打印件要获取1:1 的原始尺寸，须在打印选项中作出相应的设置。

LEDVANCE

ZGR 3565986-000-00 #RL-Released #2018-10-01 # #0PP #LEDVANCE ENDURA Pro ZNP3540784 - 21247 #500000402598 #8X1 #ALEX.WOL

#21247
black
score dimension 148 x 210 mm

NOT FOR PRINT PRODUCTION!

WARNING:

This PDF file is for reference only and not to be used for the creation of production art.
Colour printouts and screen displays should not be used for colour approval as colours may vary from device to device. The colour values for this file are defined in either Pantone (PMS), HKS, or in process colours (CMYK).
For obtaining hard-copies in actual size (1:1) you need to enter the proper settings in your printer options.

本品不可印刷生产

警告:

本PDF文挡仅作为参照文件，不能将本文档用于印刷生产或者制作菲林。本文档的彩色打印版本或其在电脑屏幕中显示的色彩，不可用于最终的色彩参照。因为硬件或设备的差异，可能造成色彩的偏差。最终正式的色彩请遵照由色板卡片PMS，HKS或者CMYK(青红黄黑)所定义的色彩。若本文挡的打印件要获取1:1 的原始尺寸，须在打印选项中作出相应的设置。

LEDVANCE



































G11063274_UI_E_PRO_Luminaires_MiPRC_04.indd 2-3

05.02.19 09:51

#21247
black
score dimension 148 x 210 mm

#21247
black
score dimension 148 x 210 mm

#0PP #LEDVANCE ENDURA Pro ZNP3540784 - 21247 #500000402598 #8X1 #ALEX.WOL

#2018-10-01 #

#RL-Released

ZGR 3565986-000-00

NOT FOR PRINT PRODUCTION!

WARNING:

This PDF file is for reference only and not to be used for the creation of production art.
Colour printouts and screen displays should not be used for colour approval as colours may vary from device to device. The colour values for this file are defined in either Pantone (PMS), HKS, or in process colours (CMYK).
For obtaining hard-copies in actual size (1:1) you need to enter the proper settings in your printer options.

本品不可印刷生产

警告:

本PDF文挡仅作为参照文件，不能将本文档用于印刷生产或者制作菲林。本文档的彩色打印版本或其在电脑屏幕中显示的色彩，不可用于最终的色彩参照。因为硬件或设备的差异，可能造成色彩的偏差。最终正式的色彩请遵照由色板卡片PMS，HKS或者CMYK(青红黄黑)所定义的色彩。若本文挡的打印件要获取1:1 的原始尺寸，须在打印选项中作出相应的设置。

LEDVANCE



IP55 **RoHS**

C10449057
G11063274
05.02.19

LEDVANCE GmbH
Steinerne Furt 62
86167 Augsburg, Germany
www.ledvance.com